


APOLLO[®] 50SC

MAPP 17187 PCS 04610

An acaricide for the control of red spider mite in apples and pears.

A suspension concentrate formulation containing 500 g/l (41.6% w/w) clofentezine.



Toxic to aquatic life with long lasting effects.

Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Keep out of reach of children.

UK only: Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty, clean containers which can be disposed of as non-hazardous waste.

Ireland only: Dispose of contents/container to a licensed waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

MAPP 17187 PCS 04610

FR R3.2.6 MAR18

1 litre e

To access the Safety Data Sheet for this product scan the QR code or use the weblink: <http://goo.gl/k0Vktf>
- Alternatively, contact your supplier.



Scan for
Safety Data
Sheet

ADAMA

26201801

This leaflet/booklet is part of the approved label.

For advice on medical emergencies, fires or major spills telephone the UK National Chemical Emergency Centre on +44 (0)1865 407333

IMPORTANT INFORMATION

FOR PROFESSIONAL USE ONLY AS A HORTICULTURAL ACARICIDE

Crops	Maximum individual dose (L product/ha)	Maximum no. of treatments	Latest time of application
Apple and pear	0.4	One per annum	35 days before harvest

Other specific restrictions:

Do not apply by hand-held equipment.

The maximum spray concentration must not exceed 0.4 litres of product in 800 litres of water.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

SAFETY PRECAUTIONS

Operator Protection

Spray equipment must only be used where the operator's normal working position is within a closed cab on a tractor or on a self-propelled sprayer when making broadcast air-assisted applications.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES when handling the concentrate and when handling contaminated surfaces.

UK only - However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH CONCENTRATE from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after work.

Environmental Protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and Disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

EMPTY CONTAINER COMPLETELY and dispose of safely.

Store well away from seeds, fertilisers and animal feedingsuffs in a safe, dry place designated as an agrochemical store.

Avoid freezing. Store above 0°C (32°F).

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

APOLLO® 50SC is a selective and very active acaricide which kills both the eggs and early motile stages of the red spider mite (*Panonychus ulmi*). It is of minimal hazard to predatory mites (e.g. *Typhlodromus pyri*), bees and predatory insects when used as directed.

RESTRICTIONS

Avoid drift to areas outside those being sprayed, having due regard to the prevailing weather conditions and spray quality being used.

Due to the colour of APOLLO 50SC and the method of orchard spraying, we recommend that suitable protective clothing is worn when applying the product.

Adama Agricultural Solutions UK Ltd will be under no liability for any loss or damage resulting from the use or manner of application of the product other than in accordance with the label recommendations which may not be varied, amended or added to except in writing by Adama Agricultural Solutions UK Ltd.

The efficacy of this product may be affected if strains of pests resistant or less sensitive occur at any time. As such occurrences cannot be predicted no responsibility can be accepted for the results obtained.

Crops should not be re-entered until spray residues are dry.

RESISTANCE

APOLLO 50SC contains clofentezine, a Group 10A (IRAC) specific acaricide that works as a mite growth inhibitor. Repeated use of insecticides with the same mode of action can increase the risk of strains of pests developing resistance to these compounds, leading to poor control. In order to minimise the risk, a strategy for preventing and managing such resistance should be adopted. Growers are advised to alternate the use of APOLLO 50SC with other acaricides with a different mode of action. Use the recommended rate of APOLLO 50SC and the correct application timing for red spider mite species present in the orchard.

PEST CONTROL

APOLLO 50SC is a very active acaricide which kills eggs and early motile stages of the red spider mite (*Panonychus ulmi*). APOLLO 50SC will also provide some control of apple rust mite (*Aculus schlechtendali*) when applied between bud burst and green cluster.

CROP SPECIFIC INFORMATION

Crops

APOLLO 50SC is recommended for use on apples and pears. All varieties may be treated.

Timing

Apply just before or on commencement of winter egg hatch. Apples and pears – usually between bud burst and pink bud. APOLLO 50SC is effective over a long period, but if mite populations build up late in the season an approved curative acaricide should be applied.

Do not apply during flowering as crop safety has not been established.

Latest time of application

Apples and pears 35 days before harvest

RATE OF USE

Do not exceed the dose stated below.

The maximum approved dose for APOLLO 50SC on all crops is 0.4 litres/hectare.

Where tree height and/or canopy density is reduced, the dose (and water volume) should be adjusted in accordance with an appropriate dose adjustment scheme. Consult your specialist advisor for further information. In the UK, further information on the PACE scheme is available from AHDB Horticulture (formerly HDC), or see the AHDB Horticulture leaflet (Orchard Spraying: Opportunities to reduce rates) available on the AHDB Horticulture website at www.horticulture.ahdb.org.uk.

Maximum number of treatments

Do not apply more than once per annum.

WATER VOLUME

APOLLO 50SC should be applied in a minimum of 800 and up to maximum of 1000 litres water per hectare. For effective control total tree cover is essential. When spraying large trees the higher volumes are preferred.

MIXING AND SPRAYING

Any type of spray equipment that ensures thorough and even coverage may be used to apply APOLLO 50SC.

Shake well before use.

1. Check that the sprayer has been washed out to remove all traces of the previous chemical.
2. Ensure that the sprayer has been carefully calibrated.
3. Half-fill the sprayer tank or container with clean water and start agitating or stirring. Add the required quantity of APOLLO 50SC and complete filling to the final volume.
4. Spray immediately after mixing and maintain agitation until the tank is empty.
5. Wash out the sprayer thoroughly after use.

DISCLAIMER/CONDITIONS OF SUPPLY

The specified properties of our products and the mode of application stated on this label have been established on the basis of research and experience. Products conform to specification at the time of delivery but, as we exercise no control over their subsequent storage, handling, mixing or use or the weather conditions before, during and after application, all of which may affect the performance of the products, no responsibility or liability will be accepted by us or our re-sellers for any failure in performance, damage or injury to person or property whatsoever arising from the storage, handling, application or use of the products. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in or make recommendations concerning the use of such products. We recommend you contact your dealer to request advice on the suitability of this product for any new and/or unusual growing methods or for new varieties not listed on this label.

Adama Agricultural Solutions UK Ltd

Unit 15, Thatcham Business Village
Colthrop Way, Thatcham, Berkshire RG19 4LW
Telephone: +44 (0)1635 860555
Technical Helpline: +44 (0)1635 876622
www.adama.com
Email: ukenquiries@adama.com

APOLLO® is a registered trademark of a company of the Adama Group.
© Adama Agricultural Solutions UK Ltd

SAFETY PRECAUTIONS

Operator Protection

Spray equipment must only be used where the operator's normal working position is within a closed cab on a tractor or on a self-propelled sprayer when making broadcast air-assisted applications.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment: WEAR SUITABLE PROTECTIVE GLOVES when handling the concentrate and when handling contaminated surfaces.

UK only - However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. WASH CONCENTRATE from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after work.

Environmental Protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and Disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

EMPTY CONTAINER COMPLETELY and dispose of safely.

Store well away from seeds, fertilisers and animal feedingstuffs in a safe, dry place designated as an agrochemical store.

Avoid freezing. Store above 0°C (32°F).

**SHAKE WELL BEFORE USE
PROTECT FROM FROST**

IMPORTANT INFORMATION

FOR PROFESSIONAL USE ONLY AS A HORTICULTURAL ACARICIDE

Crops	Maximum individual dose (L product/ha)	Maximum no. of treatments	Latest time of application
Apple and pear	0.4	One per annum	35 days before harvest

Other specific restrictions:

Do not apply by hand-held equipment.

The maximum spray concentration must not exceed 0.4 litres of product in 800 litres of water.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

Adama Agricultural Solutions UK Ltd

Unit 15, Thatcham Business Village
Colthrop Way, Thatcham, Berkshire RG19 4LW

Telephone +44 (0)1635 860555

Technical Helpline +44 (0)1635 876622

www.adama.com | ukenquiries@adama.com

UK only - The (COSHH) Control of
Substances Hazardous to Health
Regulations may apply to the use
of this product at work.

Batch No.: see packaging


For advice on medical emergencies, fires or major spills telephone the
UK National Chemical Emergency Centre on +44 (0)1865 407333

APOLLO® 50SC

MAPP 17187 PCS 04610

**An acaricide for the control of red spider mite in
apples and pears.**

A suspension concentrate formulation containing
500 g/l (41.6% w/w) clofentezine.



Toxic to aquatic life with long lasting effects.

Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Keep out of reach of children.

UK only: Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty, clean containers which can be disposed of as non-hazardous waste.

Ireland only: Dispose of contents/container to a licensed waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

MAPP 17187 PCS 04610

WR R3.2.6 MAR18

1 litre e

To access the Safety Data Sheet
for this product scan the QR code or
use the weblink: <http://goo.gl/k0Vktf>
- Alternatively, contact your supplier.



Scan for
Safety Data
Sheet

ADAMA

26201801