MOGETON[®] MAPP 15837

A Wettable Powder containing 250 g/kg Quinoclamine

A selective moss killer for the moderate control of moss on managed amenity turf

750g e Batch No 0000

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work

IMPORTANT INFORMATION FOR USE ONLY AS A HORTICULTURAL TURF TREATMENT Situation Maximum individual Maximum number Dose (product) of treatments Grass areas and managed amenity turf 1 15 kg/ha **OTHER SPECIFIC RESTRICTIONS** Use on managed amenity turf is restricted to golf courses only When applying to managed amenity turf, apply via watering can only in accordance with instructions presented on the product label When applied to managed amenity turf grass or grass, cuttings must not be used for animal feed during the year of treatment This product qualifies for inclusion within the Local Environmental Risk Assessment for Pesticides (LERAP) scheme. The statutory buffer zone must be maintained and the distance recorded in the LERAP record form. The LERAP record form must be kept available for three years.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PODUCTS

Risk and Safety Information



Harmful

Dangerous for the environment

Irritating to eyes May cause sensitisation by skin contact Harmful: danger of serious damage to health by prolonged exposure if swallowed Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment Possible risk of harm to the unborn child Keep out of the reach of children Keep away from food, drink and animal feeding stuffs In case of contact with the eyes, rinse immediately with plenty of water and seek medical advice This material and its container must be disposed of in a safe way Wear suitable protective clothing and gloves Do not breathe spray If swallowed, seek medical advice immediately and show this container or label Avoid release to the environment. Refer to special instructions/safety data sheet Do not go near plants or treated surfaces until the spray deposit is completely dry Wash all protective equipment after use

To avoid risk to man and the environment, comply with the instructions for use

(MAPP 15837)

SAFETY PRECAUTIONS

Operator protection

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when applying by hand-held equipment.

When using do not eat, drink or smoke

WASH HANDS AFTER USE.

IF YOU FEEL UNWELL, seek medical advice immediately (show the label where possible)


IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY with plenty of water and seek medical advice

Environmental protection

To protect aquatic organisms respect an unsprayed buffer zone to surface water bodies in line with LERAP requirements.

DO NOT ALLOW DIRECT SPRAY from horizontal boom sprayers to fall within 20 metres of the top of the bank of a static or flowing water body, or within 1 m of the top of a ditch which is dry at the time of application. Aim spray away from water. THIS PRODUCT IS NOT ELIGIBLE FOR BUFFER ZONE REDUCTION UNDER THE LERAP HORIZONTAL BOOM SPRAYERS SCHEME

This product qualifies for inclusion within the Local Environment Risk Assessment for Pesticides (LERAP) scheme. The statutory buffer zone must be maintained and the distance recorded in the LERAP record form. The LERAP record form must be kept available for three years.



DO NOT CONTAMINATE water with the product or its container

Storage and disposal

THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Mogeton[®] is a moss killer designed specifically for the elimination of moss (bryophytes) on grassed areas. Its active ingredient quinoclamine is absorbed by the green elements of moss. It acts by inhibiting photosynthesis. Mogeton[®] must therefore be applied when moss is present and during a period of active growth. In addition, applying Mogeton[®] leaves a surface deposit

which inhibits the germination of moss spores and, therefore, its effectiveness is extended over many weeks.

Approved dosages and method of application:

Grassed areas:

Against the various types of moss: 1.5 g/m^2 (15 kg/ha) applied by watering on the infested areas

Volume of water: Application by watering: 1 L/m² (10,000 L/ha)

Number and period of treatments: one treatment per season between May and August

The treatment is carried out after emergence of the moss, during the active growing season (May to August), preferably when the sky is overcast and humidity is high, but not when it is raining. Do not apply during the first year after laying the grass. Grass and grass clippings should not be used for animal feed during the year of treatment.

Application

The effectiveness of Mogeton[®] is increased in warm humid conditions. In cold dry weather, its effectiveness will be delayed although the degree of effectiveness will not be affected.

Fill the watering can with half the required amount of water. Add and mix Mogeton[®] then topup with the remaining water.

Application: To ensure success in combating moss, a good soaking is essential.

A minimum application volume of 1 L/m^2 (10,000 L/ha) must therefore be scrupulously adhered to. Watering can must be fitted with fine droplet sprinkler rose head or dribble bar.

Only the infested areas of the grass should be treated.

Special precautions

Follow these general recommendations

During preparation: Avoid over-filling the watering can. Do not pour rinsing water into the drains; apply it to the treated area.

Do not treat areas with a slope that would allow the product to drain or leach into a water source (ditches, ponds, streams). Mogeton® must not be applied to impermeable surfaces.

After treatment: Wait long enough before re-entering the treated areas to allow the product to dry completely.

Application equipment (watering can) must be thoroughly cleaned with water (fill the watering can with sufficient water to effectively rinse the interior (by agitation of the can) including the lid, stem and rose prior to storage or use on other plants. Dispose of washings on areas of grass that have not been treated with Mogeton®.

CONDITIONS OF SUPPLY: The Seller warrants that the goods shall at the time of delivery to the Buyer conform to the Seller's standard specification but all other conditions and warranties, whether express or implied by statute or custom of the trade or otherwise and whether as to condition, quality, performance, merchantability, fitness for any purpose or otherwise, are expressly excluded and, subject as aforesaid, the Seller shall be under no liability whatsoever, in contract or in tort, for or in respect of any loss or damage whatsoever resulting from or arising out of the goods or supply or use thereof, whether caused by the negligence of the Seller or otherwise. The Seller shall be under no liability in respect of the warranty given above unless the Buyer allows the Seller reasonable opportunity of inspecting the goods where practicable. A consumers statutory rights are not affected.



This label is compliant with the CPA Voluntary Initiative Guidance



Marketing company and approval holder:

1, Riverside Suite 5 Granta Park Great Abindon Cambs CB21 6AD Tel 0845 3730305

For technical and non-emergency calls - phone 0845 3730305.

For advice on medical emergencies, fires, spillages or chemical hazards ONLY – phone 0870 190 6777

Mogeton ® is a registered trademark of AgroKenesho

MSDS