

SUMI-ALPHA[®]

A synthetic pyrethroid insecticide for the control of aphids and the reduction of BYDV (barley yellow dwarf virus) in cereals



HARMFUL



DAANGEROUS FOR
THE ENVIRONMENT

UN 1993 • Flammable liquid, N.O.S. (contains xylene)
An emulsifiable concentrate containing 25 g/litre (2.6% w/w) esfenvalerate (contains xylene)

Risk and Safety Information

Flammable

Harmful by inhalation and if swallowed

Risk of serious damage to eyes

May cause sensitisation by skin contact

Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.

Keep out of reach of children

Keep away from food, drink and animal feeding stuffs

Avoid contact with skin

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

Wear suitable gloves and eye/face protection

If swallowed, do not induce vomiting seek medical advice immediately and show this container or label

Use appropriate containment to avoid environmental contamination

This material and its container must be disposed of in a safe way

DO NOT ALLOW DIRECT SPRAY from ground crop sprayers to fall within 5 m of the top of the bank of a static or flowing waterbody or within 1 m of the top of a ditch that is dry at the time of application. Direct spray away from water.

PCS No: 02334

To avoid risks to man and the environment, comply with the instructions for use

1 litre e

Batch No.:

Marketed in Ireland by: Interfarm UK Ltd, 36, Newgate Street, Doddington,
Cambs PE15 0SR UK. Tel 0044 (0) 1354 741414. www.interfarm.co.uk

Approval Holder: SUMITOMO CHEMICAL AGRO EUROPE S.A.S.
Parc d'Affaires de Crécý, 2, rue Claude Chappe
69771 Saint Didier au Mont d'Or, France



FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE:

| Crop | Max. individual dose | Maximum no. of applications | Maximum total dose | Time of application |
|-------------------------------|----------------------|-----------------------------|--------------------|---|
| Winter wheat, rye & triticale | 165 ml/ha | 2 | 530ml/ha | Before second node (GS 32) |
| | 200ml/ha | 1 | | Second node (GS 32) to late milk stage(GS 77) |
| Winter barley & winter oats | 165 ml/ha | 2 | 530ml/ha | Before second node (GS 32) |
| | 200ml/ha | 1 | | Second node (GS 32) to early milk stage (GS 73) |
| Spring wheat, rye & triticale | 165 ml/ha | 2 | 530ml/ha | Before second node (GS 32) |
| | 200 ml/ha | 1 | | Second node (GS 32) to late milk stage (GS 77) |
| Spring barley & spring oats | 165 ml/ha | 2 | 530ml/ha | Before second node (GS 32) |
| | 200 ml/ha | 1 | | Second node (GS 32) to early milk stage (GS 73) |

PRECAUTIONS

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACE SHIELD) when handling the concentrate and contaminated equipment. KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS
KEEP OUT OF REACH OF CHILDREN
TAKE OFF IMMEDIATELY all contaminated clothing. WHEN USING DO NOT EAT, DRINK OR SMOKE. WASH CONCENTRATE from skin or eyes immediately. DO NOT BREATHE SPRAY.
WASH HANDS AND EXPOSED SKIN before meals and after work.

IF YOU FEEL UNWELL, seek medical advice (show the label where possible).
RISK TO NON-TARGETS INSECTS OR OTHER ARTHROPODS.
DO NOT SPRAY CEREALS within 6 m of the field boundary.
KEEP IN ORIGINAL CONTAINER tightly closed, in a safe place.
RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.
DO NOT RE-USE CONTAINER for any purpose.

© = Registered trademark of Sumitomo Chemical Company

131211